

2015

Wille M, Schümann A, **Wree A**, Kreutzer M, Glocker MO, Mutzbauer G, Schmitt O. The proteome profiles of the cerebellum of juvenile, adult and aged rats-an ontogenetic study. *Int J Mol Sci*. 2015, 16(9):21454-85. doi: 10.3390/ijms160921454.

Hovakimyan M, Siewert S, Schmidt W, Sternberg K, Reske T, Stachs O, Guthoff R, **Wree A**, Witt M, Schmitz KP, Allemann R. Development of an experimental drug eluting suprachoroidal microstent as glaucoma drainage device. *Transl Vis Sci Technol*. 2015, 30;4(3):14. eCollection 2015 Jun.

Voss K, Falke K, Bernsdorf A, Grabow N, Kastner C, Sternberg K, Minrath I, Eickner T, **Wree A**, Schmitz KP, Guthoff R, Witt M, Hovakimyan M. Development of a novel injectable drug delivery system for subconjunctival glaucoma treatment. *J Control Release*. 2015, 214:1-11.

Seidel R, Schulze M, Zukowski K, **Wree A**. [Ultrasound-guided intermediate cervical plexus block. Anatomical study]. *Anaesthesist*. 2015, 64(6):446-50. German.

Wieding J, Mick E, **Wree A**, Bader R. Influence of three different preservative techniques on the mechanical properties of the ovine cortical bone. *Acta Bioeng Biomech*. 2015,17(1):137-46.

Lehmann R, Gallert C, Roddelkopf T, Junginger S, **Wree A**, Thurow K. 3 dimensional cell cultures: a comparison between manually and automatically produced alginate beads. *Cytotechnology*. 2015, Apr 5. [Epub ahead of print]

Wille M, Schümann A, Kreutzer M, Glocker MO, **Wree A**, Mutzbauer G, Schmitt O. The proteome profiles of the olfactory bulb of juvenile, adult and aged rats - an ontogenetic study. *Proteome Sci*. 2015, 13:8. doi: 10.1186/s12953-014-0058-x. eCollection 2015.

Wree A, Schmitt O. Basal Ganglia. In: Arthur W. Toga AW (Ed) *Brain mapping: an encyclopedic reference*. Elsevier, 2015, pp. 217-227.

Reetz J, Hildebrandt S, Schmidt A, Meier C, Herchenröder O, Gläser A, Witt M, Pützer BM, **Wree A**. Novel subventricular zone early progenitor cell-specific adenovirus for in vivo therapy of central nervous system disorders reinforces brain stem cell heterogeneity. *Brain Struct Funct*. 2015, Mar 12. [Epub ahead of print]

Erdsack N, Dehnhardt G, Witt M, **Wree A**, Siebert U, Hanke W. Unique fur and skin structure in harbour seals (*Phoca vitulina*)-thermal insulation, drag reduction, or both? *J R Soc Interface*. 2015, 12(104). pii: 20141206.

Maass F, Petersen J, Hovakimyan M, Schmitt O, Witt M, Hawlitschka A, Lukas J, Rolfs A, **Wree A**. Reduced cerebellar neurodegeneration after combined therapy with cyclodextrin/allopregnanolone and miglustat in NPC1: A mouse model of Niemann-Pick type C1 disease. *J Neurosci Res*. 2015, 93(3):433-42.

2014

Yan X, Ma L, Hovakimyan M, Lukas J, **Wree A**, Frank M, Guthoff R, Rolfs A, Witt M, Luo J. Defects in the retina of Niemann-pick type C 1 mutant mice. *BMC Neurosci*. 2014, 15(1):126

Schmitt O, Eipert P, Kettlitz R, Leßmann F, **Wree A**. The connectome of the basal ganglia. *Brain Struct Funct*. 2014, Nov 29. [Epub ahead of print]

Kowtharapu BS, Stahnke T, **Wree A**, Guthoff RF, Stachs O. Corneal epithelial and neuronal interactions: role in wound healing. *Exp Eye Res.* 2014, 125:53-61.

Hovakimyan M, Falke K, Stahnke T, Guthoff R, Witt M, **Wree A**, Stachs O. Morphological analysis of quiescent and activated keratocytes: a review of ex vivo and in vivo findings. *Curr Eye Res.* 2014, 39(12):1129-44.

Yan X, Lukas J, Lin J, Ernst M, Koczan D, Witt M, Fuellen G, **Wree A**, Rolfs A, Luo J. Aberrant expressions of delta-protocadherins in the brain of Npc1 mutant mice. *Histol Histopathol.* 2014, 29(9):1185-99

Yan X, Yang F, Lukas J, Witt M, **Wree A**, Rolfs A, Luo J. Hyperactive glial cells contribute to axonal pathologies in the spinal cord of Npc1 mutant mice. *Glia.* 2014, 62(7):1024-40.

Weiss B, Haas S, Lessner G, Mikkat S, Kreutzer M, Glocker MO, **Wree A**, Schmitt O. The proteome of the differentiating mesencephalic progenitor cell line CSM14.1 in vitro. *Biomed Res Int.* 2014, 2014:351821.

Yan X, Lin J, Talabattula VA, Mußmann C, Yang F, **Wree A**, Rolfs A, Luo J. ADAM10 negatively regulates neuronal differentiation during spinal cord development. *PLoS One.* 2014 Jan 3;9(1):e84617. doi: 10.1371/journal.pone.0084617.

Kuhla A, Hahn S, Butschkau A, Lange S, **Wree A**, Vollmar B. Lifelong caloric restriction reprograms hepatic fat metabolism in mice. *J Gerontol A Biol Sci Med Sci.* 2014, 69(8):915-22.

2013

Hovakimyan M, Meyer A, Lukas J, Luo J, Gudziol V, Hummel T, Rolfs A, **Wree A**, Witt M. Olfactory deficits in Niemann-Pick type C1 (NPC1) disease. *PLoS One.* 2013, Dec 31;8(12):e82216. doi: 10.1371/journal.pone.0082216

Bergt S, Güter A, Grub A, Wagner NM, Beltschany C, Langner S, **Wree A**, Hildebrandt S, Nöldge-Schomburg G, Vollmar B, Roesner JP. Impact of Toll-like receptor 2 deficiency on survival and neurological function after cardiac arrest: a murine model of cardiopulmonary resuscitation. *PLoS One.* 2013 Sep 16;8(9):e74944. doi: 10.1371/journal.pone.0074944

Rudolph A, Eickner T, Seidlitz A, Weitschies W, **Wree A**, Schmitz KP, Sternberg K. Investigation of in vitro drug release behaviour of drug-eluting stents using a perfusion culture system. *Biomed Tech (Berl).* 2013 Sep 7. pii: /j/bmte.2013.58.issue-s1-C/bmt-2013-4098/bmt-2013-4098.xml

Hovakimyan M, Maass F, Petersen J, Holzmann C, Witt M, Lukas J, Frech MJ, Hübner R, Rolfs A, **Wree A**. Combined therapy with cyclodextrin/allopregnanolone and miglustat improves motor but not cognitive functions in Niemann-Pick Type C1 mice. *Neuroscience.* 2013, 252:201-11.

Allemann R, Stachs O, Falke K, Schmidt W, Siewert S, Sternberg K, Chichkov B, **Wree A**, Schmitz KP, Guthoff RF. New concepts for pressure-controlled glaucoma implants. *Ophthalmologie.* 2013, 110(8):733-9.

Kuhla A, Lange S, Holzmann C, Maass F, Petersen J, Vollmar B, **Wree A**. Lifelong caloric restriction increases working memory in mice. *PLoS One.* 2013 Jul 10;8(7):e68778. doi: 10.1371/journal.pone.0068778.

Löbler M, Buß D, Kastner C, Mostertz J, Homuth G, Ernst M, Guthoff R, **Wree A**, Stahnke T, Fuellen G, Voelker U, Schmitz KP. Ocular fibroblast types differ in their mRNA profiles-- implications for fibrosis prevention after aqueous shunt implantation. *Mol Vis*. 2013, 19:1321-31.

Zhivov A, Winter K, Peschel S, Stachs O, **Wree A**, Hildebrandt G, Guthoff R. Changes in the micromorphology of the corneal subbasal nerve plexus in patients after plaque brachytherapy. *Radiat Oncol*. 2013 Jun 7;8:136. doi: 10.1186/1748-717X-8-136.

Claassen H, Schmitt O, Schulze M, **Wree A**. Variation in the hypothenar muscles and its impact on ulnar tunnel syndrome. *Surg Radiol Anat*. 2013, 35(10):893-9.

Antipova V, Hawlitschka A, Mix E, Schmitt O, Dräger D, Benecke R, **Wree A**. Behavioral and structural effects of unilateral intrastriatal injections of botulinum neurotoxin a in the rat model of Parkinson's disease. *J Neurosci Res*. 2013, 91(6):838-47.

2012

Schmitt O, Eipert P, Philipp K, Kettlitz R, Fuellen G, **Wree A**. The intrinsic connectome of the rat amygdala. *Front Neural Circuits*. 2012, Dec 11;6:81. doi: 10.3389/fncir.2012.00081.

Gradl G, Herlyn P, Finke B, Gierer P, **Wree A**, Witt M, Mittlmeier T, Vollmar B. A pan-caspase inhibitor reduces myocyte apoptosis and neuropathic pain in rats with chronic constriction injury of the sciatic nerve. *Anesth Analg*. 2013,116(1):216-23.

Hawlitschka A, Antipova V, Schmitt O, Witt M, Benecke R, Mix E, **Wree A**. Intracerebrally applied botulinum neurotoxin in experimental neuroscience. *Curr Pharm Biotechnol*. 2013,14(1):124-30.

Andressen C, **Wree A**. Cells, micro- and nanosystems in reconstructive medicine: past, present, and future. *Curr Pharm Biotechnol*. 2013,14(1):2-3.

Holzmann C, Dräger D, Mix E, Hawlitschka A, Antipova V, Benecke R, **Wree A**. Effects of intrastriatal botulinum neurotoxin A on the behavior of Wistar rats. *Behav Brain Res*. 2012, 234(1):107-16.

Siewert S, Schultze C, Schmidt W, Hinze U, Chichkov B, **Wree A**, Sternberg K, Allemann R, Guthoff R, Schmitz KP. Development of a micro-mechanical valve in a novel glaucoma implant. *Biomed Microdevices*. 2012, 14(5):907-20.

Hovakimyan M, Müller J, **Wree A**, Ortinau S, Rolfs A, Schmitt O. Survival of transplanted human neural stem cell line (ReNcell VM) into the rat brain with and without immunosuppression. *Ann Anat*. 2012, 194(5):429-35.

Stahnke T, Löbler M, Kastner C, Stachs O, **Wree A**, Sternberg K, Schmitz KP, Guthoff R. Different fibroblast subpopulations of the eye: a therapeutic target to prevent postoperative fibrosis in glaucoma therapy. *Exp Eye Res*. 2012, 100:88-97.

Bethge A, Schumacher U, **Wree A**, Wedemann G. Are metastases from metastases clinical relevant? Computer modelling of cancer spread in a case of hepatocellular carcinoma. *PLoS One*. 2012;7(4):e35689. doi: 10.1371/journal.pone.0035689.

Avchalumov Y, Kirschstein T, Lukas J, Luo J, **Wree A**, Rolfs A, Köhling R. Increased excitability and compromised long-term potentiation in the neocortex of NPC1(-/-) mice. *Brain Res.* 2012, 20;1444:20-6.

Schmitt O, Usunoff KG, Lazarov NE, Itzev DE, Eipert P, Rolfs A, **Wree A**. Orexinergic innervation of the extended amygdala and basal ganglia in the rat. *Brain Struct Funct.* 2012, 217(2):233-56.

2011

Hovakimyan M, Petersen J, Maass F, Reichard M, Witt M, Lukas J, Stachs O, Guthoff R, Rolfs A, **Wree A**. Corneal alterations during combined therapy with cyclodextrin/allopregnanolone and miglustat in a knock-out mouse model of NPC1 disease. *PLoS One.* 2011;6(12):e28418. doi: 10.1371/journal.pone.0028418.

Yan X, Lukas J, Witt M, **Wree A**, Hübner R, Frech M, Köhling R, Rolfs A, Luo J. Decreased expression of myelin gene regulatory factor in Niemann-Pick type C 1 mouse. *Metab Brain Dis.* 2011, 26(4):299-306.

Krohn M, Lange C, Hofrichter J, Scheffler K, Stenzel J, Steffen J, Schumacher T, Brüning T, Plath AS, Alfen F, Schmidt A, Winter F, Rateitschak K, **Wree A**, Gsponer J, Walker LC, Pahnke J. Cerebral amyloid- β proteostasis is regulated by the membrane transport protein ABCC1 in mice. *J Clin Invest.* 2011, 121(10):3924-31.

Hovakimyan M, Guthoff R, Reichard M, **Wree A**, Nolte I, Stachs O. In vivo confocal laser-scanning microscopy to characterize wound repair in rabbit corneas after collagen cross-linking. *Clin Experiment Ophthalmol.* 2011, 39(9):899-909.

Krüger A, Hovakimyan M, Ramírez Ojeda DF, Stachs O, **Wree A**, Guthoff RF, Heisterkamp A. Combined nonlinear and femtosecond confocal laser-scanning microscopy of rabbit corneas after photochemical cross-linking. *Invest Ophthalmol Vis Sci.* 2011, 52(7):4247-55.

Lazarov NE, Usunoff KG, Schmitt O, Itzev DE, Rolfs A, **Wree A**. Amygdalotrigeminal projection in the rat: An anterograde tracing study. *Ann Anat.* 2011, 193(2):118-26.

Hovakimyan M, Stachs O, Reichard M, Mascher H, Lukas J, Frech MJ, Guthoff R, Witt M, Rolfs A, **Wree A**. Morphological alterations of the cornea in the mouse model of niemann-pick disease type c1. *Cornea.* 2011, 30(7):796-803.

Lange C, Mix E, Frahm J, Glass A, Müller J, Schmitt O, Schmöle AC, Klemm K, Ortinau S, Hübner R, Frech MJ, **Wree A**, Rolfs A. Small molecule GSK-3 inhibitors increase neurogenesis of human neural progenitor cells. *Neurosci Lett.* 2011, 13;488(1):36-40.

Wree A, Mix E, Hawlitschka A, Antipova V, Witt M, Schmitt O, Benecke R. Intrastriatal botulinum toxin abolishes pathologic rotational behaviour and induces axonal varicosities in the 6-OHDA rat model of Parkinson's disease. *Neurobiol Dis.* 2011, 41(2):291-8.

Hovakimyan M, Guthoff R, Knappe S, Zhivov A, **Wree A**, Krüger A, Heisterkamp A, Stachs O. Short-term corneal response to cross-linking in rabbit eyes assessed by in vivo confocal laser scanning microscopy and histology. *Cornea.* 2011, 30(2):196-203.

Dräger DL, Branski RC, **Wree A**, Sulica L. Friedrich Berthold Reinke (1862-1919): anatomist of the vocal fold. *J Voice.* 2011, 25(3):301-7.

2010

Giese AK, Frahm J, Hübner R, Luo J, **Wree A**, Frech MJ, Rolfs A, Ortinau S. Erythropoietin and the effect of oxygen during proliferation and differentiation of human neural progenitor cells. *BMC Cell Biol.* 2010 Dec 2;11:94. doi: 10.1186/1471-2121-11-94.

Reichard M, Hovakimyan M, **Wree A**, Meyer-Lindenberg A, Nolte I, Junghans C, Guthoff R, Stachs O. Comparative in vivo confocal microscopical study of the cornea anatomy of different laboratory animals. *Curr Eye Res.* 2010, 35(12):1072-80.

Lessner G, Schmitt O, Haas SJ, Mikkat S, Kreutzer M, **Wree A**, Glocker MO. Differential proteome of the striatum from hemiparkinsonian rats displays vivid structural remodeling processes. *J Proteome Res.* 2010, 9(9):4671-87.

Yan X, Lin J, Wang H, Markus A, **Wree A**, Rolfs A, Luo J. Regional expression of the ADAMs in developing chicken cochlea. *Dev Dyn.* 2010, 239(8):2256-65.

Hildebrandt S, Schmidt A, Stoll A, Schmitt O, Köhling R, **Wree A**, Haas SJ, Pützer BM. Targeting of neural stem cells in the hippocampus of adult rats by custom-made Ad vectors. *Brain Struct Funct.* 2010, 215(2):105-13.

Claassen H, Schmitt O, Werner D, Schareck W, Kröger JC, **Wree A**. Superficial arm arteries revisited: Brother and sister with absent radial pulse. *Ann Anat.* 2010, 192(3):151-5.

Hovakimyan M, Spasova M, **Wree A**, Schmitt O. In vitro differentiation of the immortalized mesencephalic progenitor cell line CSM14.1 occurs independently from haematopoietic cytokines. *Cell Mol Biol (Noisy-le-grand).* 2010 Feb 28;56 Suppl:OL1252-60.

Stachs O, Zhivov A, Kraak R, Hovakimyan M, **Wree A**, Guthoff R. Structural-functional correlations of corneal innervation after LASIK and penetrating keratoplasty. *J Refract Surg.* 2010, 26(3):159-67.

2009

Krüger A, Hovakimyan M, Ramírez DF, Stachs O, Lubatschowski H, **Wree A**, Guthoff R, Heisterkamp A. Two-photon microscopy of the cornea using intrinsic contrast. *Klin Monbl Augenheilkd.* 2009, 226(12):970-9. German.

Drøjdahl N, Nielsen HH, Gardi JE, **Wree A**, Peterson AC, Nyengaard JR, Eyer J, Finsen B. Axonal plasticity elicits long-term changes in oligodendroglia and myelinated fibers. *Glia.* 2010, 58(1):29-42.

Usunoff KG, Schmitt O, Itzev DE, Haas SJ, Lazarov NE, Rolfs A, **Wree A**. Efferent projections of the anterior and posterodorsal regions of the medial nucleus of the amygdala in the mouse. *Cells Tissues Organs.* 2009, 190(5):256-85.

Klues D, Souffrant R, Mittelmeier W, **Wree A**, Schmitz KP, Bader R. A convenient approach for finite-element-analyses of orthopaedic implants in bone contact: modeling and experimental validation. *Comput Methods Programs Biomed.* 2009, 95(1):23-30.

2008

Hovakimyan M, Weinreich K, Haas SJ, Cattaneo E, Rolfs A, **Wree A**. In vitro characterization of embryonic ST14A-cells. *Int J Neurosci.* 2008, 118(11):1489-501.

Henning J, Strauss U, **Wree A**, Gimsa J, Rolfs A, Benecke R, Gimsa U. Differential astroglial activation in 6-hydroxydopamine models of Parkinson's disease. *Neurosci Res.* 2008, 62(4):246-53.

Hovakimyan M, Haas SJ, Schmitt O, Gerber B, **Wree A**, Andressen C. Mesencephalic human neural progenitor cells transplanted into the adult hemiparkinsonian rat striatum lack dopaminergic differentiation but improve motor behavior. *Cells Tissues Organs.* 2008, 188(4):373-83.

Fritsche A, Bialek K, Mittelmeier W, Simnacher M, Fethke K, **Wree A**, Bader R. Experimental investigations of the insertion and deformation behavior of press-fit and threaded acetabular cups for total hip replacement. *J Orthop Sci.* 2008, 13(3):240-7.

Strauss U, Zhou FW, Henning J, Battfeld A, **Wree A**, Köhling R, Haas SJ, Benecke R, Rolfs A, Gimsa U. Increasing extracellular potassium results in subthalamic neuron activity resembling that seen in a 6-hydroxydopamine lesion. *J Neurophysiol.* 2008, 99(6):2902-15.

Claassen H, Schmitt O, **Wree A**. Large patent median arteries and their relation to the superficial palmar arch with respect to history, size consideration and clinic consequences. *Surg Radiol Anat.* 2008, 30(1):57-63.

Haas SJ, Petrov S, Kronenberg G, Schmitt O, **Wree A**. Orthotopic transplantation of immortalized mesencephalic progenitors (CSM14.1 cells) into the substantia nigra of hemiparkinsonian rats induces neuronal differentiation and motoric improvement. *J Anat.* 2008, 212(1):19-30.

2007

Hawlitshka A, Haas SJ, Schmitt O, Weiss DG, **Wree A**. Effects of systemic PSI administration on catecholaminergic cells in the brain, adrenal medulla and carotid body in Wistar rats. *Brain Res.* 2007, 1173:137-44.

Schmidt A, Haas SJ, Hildebrandt S, Scheibe J, Eckhoff B, Racek T, Kempermann G, **Wree A**, Pützer BM. Selective targeting of adenoviral vectors to neural precursor cells in the hippocampus of adult mice: new prospects for in situ gene therapy. *Stem Cells.* 2007, 25(11):2910-8.

Haas SJ, Beckmann S, Petrov S, Andressen C, **Wree A**, Schmitt O. Transplantation of immortalized mesencephalic progenitors (CSM14.1 cells) into the neonatal parkinsonian rat caudate putamen. *J Neurosci Res.* 2007, 85(4):778-86.

Usunoff KG, Schmitt O, Itzev DE, Rolfs A, **Wree A**. Efferent connections of the parabigeminal nucleus to the amygdala and the superior colliculus in the rat: a double-labeling fluorescent retrograde tracing study. *Brain Res.* 2007, 1133(1):87-91.

2006

Usunoff KG, Itzev DE, Rolfs A, Schmitt O, **Wree A**. Nitric oxide synthase-containing neurons in the amygdaloid nuclear complex of the rat. *Anat Embryol (Berl).* 2006, 211(6):721-37.

Boy J, Leergaard TB, Schmidt T, Odeh F, Bichelmeier U, Nuber S, Holzmann C, **Wree A**, Prusiner SB, Bujard H, Riess O, Bjaalie JG. Expression mapping of tetracycline-responsive prion protein promoter: digital atlasing for generating cell-specific disease models. *Neuroimage.* 2006, 33(2):449-62.

Just T, Stave J, Boltze C, Wree A, Kramp B, Guthoff RF, Pau HW. Laser scanning microscopy of the human larynx mucosa: a preliminary, ex vivo study. *Laryngoscope*. 2006, 116(7):1136-41.

Usunoff KG, Itzev DE, Rolfs A, Schmitt O, **Wree A**. Brain stem afferent connections of the amygdala in the rat with special references to a projection from the parabigeminal nucleus: a fluorescent retrograde tracing study. *Anat Embryol (Berl)*. 2006, 211(5):475-96.

Usunoff KG, Popratiloff A, Schmitt O, **Wree A**. Functional neuroanatomy of pain. *Adv Anat Embryol Cell Biol*. 2006,184:1-115.

Claassen H, Schmitt O, **Wree A**. Variations of the A. axillaris and the crural arteries in the same human individual: multiple repetitions of the mammalian plesiomorphic constellation of the arteries. *Ann Anat*. 2006, 188(1):39-48.

2005

Wree A, Itzev DE, Schmitt O, Usunoff KG. Neurons in the dorsal column nuclei of the rat emit a moderate projection to the ipsilateral ventrobasal thalamus. *Anat Embryol (Berl)*. 2005, 210(3):155-62.

Schmitt O, Modersitzki J, Heldmann S, Wirtz S, Hömke L, Heide W, Kömpf D, **Wree A**. Three-dimensional cytoarchitectonic analysis of the posterior bank of the human precentral sulcus. *Anat Embryol (Berl)*. 2005, 210(5-6):387-400.

Guthoff RF, Wiens H, Hahnel C, **Wree A**. Epithelial innervation of human cornea: a three-dimensional study using confocal laser scanning fluorescence microscopy. *Cornea*. 2005, 24(5):608-13.

2004

Peters S, Mix E, Bauer P, Weinelt S, Schubert B, Knoblich R, Böttcher T, Strauss U, Pahnke J, Cattaneo E, **Wree A**, Rolfs A. Wnt-5a expression in the rat neuronal progenitor cell line ST14A. *Exp Brain Res*. 2004, 158(2):189-95.

Pahnke J, Mix E, Knoblich R, Müller J, Zschiesche M, Schubert B, Koczan D, Bauer P, Böttcher T, Thiesen HJ, Lazarov L, **Wree A**, Rolfs A. Overexpression of glial cell line-derived neurotrophic factor induces genes regulating migration and differentiation of neuronal progenitor cells. *Exp Cell Res*. 2004, 297(2):484-94.

Claassen H, Wree A. The Etruscan skulls of the Rostock anatomical collection--how do they compare with the skeletal findings of the first thousand years B. C.? *Ann Anat*. 2004, 186(2):157-63.

Haas SJ, Ahrens A, Petrov S, Schmitt O, **Wree A**. Quinolinic acid lesions of the caudate putamen in the rat lead to a local increase of ciliary neurotrophic factor. *J Anat*. 2004, 204(4):271-81.

2003

Claassen H, **Wree A**. Isolated flexor muscles of the little toe in the feet of an individual with atrophied or lacking 4th head of the M. extensor digitorum brevis and lacking the 4th tendon of the M. extensor digitorum longus. *Ann Anat*. 2003 Jan;185(1):81-4.

Weinelt S, Peters S, Bauer P, Mix E, Haas SJ, Dittmann A, Petrov S, **Wree A**, Cattaneo E, Knoblich R, Strauss U, Rolfs A. Ciliary neurotrophic factor overexpression in neural progenitor cells (ST14A) increases proliferation, metabolic activity, and resistance to stress during differentiation. *J Neurosci Res.* 2003, 71(2):228-36. Erratum in: *J Neurosci Res.* 2004 Mar 15;75(6):861.

2002

Claassen H, **Wree A**. Multiple variations in the region of *Mm. extensores carpi radialis longus* and *brevis*. *Ann Anat.* 2002, 184(5):489-91.

Saka B, **Wree A**, Anders L, Gundlach KK. Experimental and comparative study of the blood supply to the mandibular cortex in Göttingen minipigs and in man. *J Craniomaxillofac Surg.* 2002, 30(4):219-25.

Haas SJ, **Wree A**. Dopaminergic differentiation of the *Nurr1*-expressing immortalized mesencephalic cell line CSM14.1 in vitro. *J Anat.* 2002, 201(1):61-9.

Saka B, **Wree A**, Henkel KO, Anders L, Gundlach KK. Blood supply of the mandibular cortex: an experimental study in Göttingen minipigs with special reference to the condyle. *J Craniomaxillofac Surg.* 2002, 30(1):41-5.

Drøjdahl N, Hegelund IV, Poulsen FR, **Wree A**, Finsen B. Perforant path lesioning induces sprouting of CA3-associated fibre systems in mouse hippocampal formation. *Exp Brain Res.* 2002, 144(1):79-87.

2001

Martens U, **Wree A**. Distribution of [3H]MK-801, [3H]AMPA and [3H]Kainate binding sites in rat hippocampal long-term slice cultures isolated from external afferents. *Anat Embryol (Berl).* 2001, 203(6):491-500.

2000

Haas SJ, Bauer P, Rolfs A, **Wree A**. Immunocytochemical characterization of in vitro PKH26-labelled and intracerebrally transplanted neonatal cells. *Acta Histochem.* 2000, 102(3):273-80.

1998

Martens U, Capito B, **Wree A**. Septotemporal distribution of [3H]MK-801, [3H]AMPA and [3H]Kainate binding sites in the rat hippocampus. *Anat Embryol (Berl).* 1998, 198(3):195-204.

1996

Garrett B, Finsen B, **Wree A**. In situ hybridization for somatostatin mRNA in the adult rat: cingulate, insular, prepiriform, perirhinal, entorhinal, and retrosplenial cortical regions. *Anat Embryol (Berl).* 1996, 193(4):387-95.

Beck T, Weber M, Horváth E, **Wree A**. Functional cerebral activity during regeneration from entorhinal lesions in the rat. *J Cereb Blood Flow Metab.* 1996, 16(2):342-52.

1995

Beck T, Goller HJ, **Wree A**. Chronic depression of glucose metabolism in postischemic rat brains. *Stroke.* 1995, 26(6):1107-13.

Wree A, Goller HJ, Beck T. Local cerebral glucose utilization in perfusion-fixed rat brains. *J Neurosci Methods*. 1995, 58(1-2):143-9.

Boupha T, **Wree A**. Occurrence of a musculus abductor digiti minimi longus. *Ann Anat*. 1995, 177(2):147-9.

Ebrahimi-Gaillard A, Beck T, Gaillard F, **Wree A**, Roger M. Transplants of embryonic cortical tissue placed in the previously damaged frontal cortex of adult rats: local cerebral glucose utilization following execution of forelimb movements. *Neuroscience*. 1995, 64(1):49-60.

Zilles K, **Wree A**. Cortex: areal and laminar structure. In: G. Paxinos (Ed) *The rat nervous system*, 2nd ed, Academic Press, Sydney, 1995, pp 649-685.

1994

Garrett B, Finsen B, **Wree A**. Parcellation of cortical areas by in situ hybridization for somatostatin mRNA in the adult rat: frontal, parietal, occipital, and temporal regions. *Anat Embryol (Berl)*. 1994, 190(4):389-98.

Beck T, Lindholm D, Castrén E, **Wree A**. Brain-derived neurotrophic factor protects against ischemic cell damage in rat hippocampus. *J Cereb Blood Flow Metab*. 1994, 14(4):689-92.

Ebrahimi-Gaillard A, Beck T, **Wree A**, Roger M. Metabolic mapping of the forelimb motor system in the rat: local cerebral glucose utilization following execution of forelimb movements mainly involving proximal musculature. *Somatosens Mot Res*. 1994, 11(3):229-41.

1993

Wree A, Erselius R, Tønder N, Beck T. Time course of hippocampal glucose utilization and persistence of parvalbumin immunoreactive neurons after ibotenic acid-induced lesions of the rat dentate area. *J Cereb Blood Flow Metab*. 1993, 13(6):998-1005.

Beck T, Lutz B, Thole U, **Wree A**. Assessing chronic brain damage by quantification of regional volumes in postischemic rat brains. *Brain Res*. 1993, 605(2):280-6.

Tønder N, Zimmer J, Goller HJ, **Wree A**. Area specific functional activity in organotypic hippocampal slice cultures. A 2-deoxyglucose study. *J Hirnforsch*. 1993, 34(1):115-20.

1992

Schulz JB, **Wree A**, Schleicher A, Zilles K. Plasticity in the rat hippocampal formation following ibotenic acid lesion of the septal region: a quantitative [¹⁴C]deoxyglucose and acetylcholinesterase study. *J Cereb Blood Flow Metab*. 1992, 12(6):1007-21.

Beck T, **Wree A**, Sauer DD. Chronic infusion of nerve growth factor does not rescue pyramidal cells after transient forebrain ischemia in the rat. *Neurosci Lett*. 1992, 135(2):252-4.

Wree A, Lutz B, Thole U. Volumes of the cytoarchitectonic areas in the rat cerebral cortex. *J Hirnforsch*. 1992, 33(4-5):545-8.

1991

Wree A, Kaever C, Birgel B, Schleicher A, Horvath E, Zilles K. Local cerebral glucose utilization in the brain of old, learning impaired rats. *Histochemistry*. 1991, 95(6):591-603.

Wree A, Erselius RT. Differential vulnerability of neurons toward local injection of ibotenic acid in the hippocampus of the adult rat. An electron microscopic study. *J Hirnforsch*. 1991, 32(2):185-93.

Erselius RT, **Wree A**. Ultrastructure of axons in stereotaxically placed ibotenic acid-induced lesions of the hippocampus in the adult rat. Evidence for demyelination and degeneration of dispersed axons of passage. *J Hirnforsch.* 1991, 32(2):139-48.

1990

Beck T, **Wree A**, Schleicher A. Glucose utilization in rat hippocampus after long-term recovery from ischemia. *J Cereb Blood Flow Metab.* 1990, 10(4):542-9.

Beck T, **Wree A**, Schleicher A. Postischemic glucose utilization in rat hippocampal layers. *Brain Res.* 1990, 510(1):74-83.

Wree A. Principles of the 2-deoxyglucose method for the determination of the local cerebral glucose utilization. *Eur J Morphol.* 1990, 28(2-4):132-8. Review.

Wree A, Zilles K, Schleicher A. Local cerebral glucose utilization in the neocortical areas of the rat brain. *Anat Embryol (Berl).* 1990, 181(6):603-14.

1989

Wree A, Schleicher A, Zilles K, Beck T. Changes in the primary visual cortex caused by enucleation. In: Splechna H, Hilgers H (Eds) *Trends in vertebrate morphology*, Fischer, Stuttgart, 1989, pp 330-333.

Zilles K, **Wree A**, Petrovic-Minic B, Schleicher A, Beck T. Different metabolic changes in the lateral geniculate nucleus and the superior colliculus of adult rats after simultaneous or delayed double enucleation. *Brain Res.* 1989, 488(1-2):14-21.

Wree A, Beck T, Bielenberg GW, Schleicher A, Zilles K. Local cerebral glucose utilization in the autoimmune New Zealand black (NJB) mouse. *Histochemistry.* 1989, 92(4):343-8.

Tack W, **Wree A**, Schleicher A. Local cerebral glucose utilization in the hippocampus of old rats. *Histochemistry.* 1989, 92(5):413-9.

Wree A, Schleicher A, Beck T, Zilles K. The cortical areas of the posterior cortex of the rat. In: Splechna H, Hilgers H (Eds) *Trends in vertebrate morphology*, Fischer, Stuttgart, 1989, pp 353-355.

1988

Wree A, Schleicher A, Zilles K, Beck T. Local cerebral glucose utilization in the Ammon's horn and dentate gyrus of the rat brain. *Histochemistry.* 1988, 88(3-6):415-26.

Wree A, Schleicher A. The determination of the local cerebral glucose utilization with the 2-deoxyglucose method. *Histochemistry.* 1988, 90(2):109-21. Review.

Wree A, Zilles K, Schleicher A. Reduction of plasticity in the primary visual cortex of the rat. In: Flohr H (Ed) *Post-lesion neural plasticity*, Springer, Berlin, 1988, pp 172-186.

1987

Wree A, Zilles K, Schleicher A, Horváth E, Traber J. Effect of the 5-HT_{1A} receptor agonist ipsapirone on the local cerebral glucose utilization of the rat hippocampus. *Brain Res.* 1987, 436(2):283-90.

1986

Schleicher A, Zilles K, **Wree A**. A quantitative approach to cytoarchitectonics: software and hardware aspects of a system for the evaluation and analysis of structural inhomogeneities in nervous tissue. *J Neurosci Methods.* 1986, 18(1-2):221-35.

Wree A, Angenendt HW, Zilles K. The size of the zone of origin of callosal afferents projecting to the primary visual cortex contralateral to the remaining eye in rats monocularly enucleated at different postnatal ages. *Anat Embryol (Berl)*. 1986, 174(1):91-6.

Wree A. Reduktion der Plastizität des visuellen Systems in der postnatalen Ontogenese der Ratte. Habilitationsschrift, Medizinische Fakultät der Universität Köln, 1986

1985

Wree A, Kulig G, Gutmann P, Zilles K. Modification of callosal afferents of the primary visual cortex ipsilateral to the remaining eye in rats monocularly enucleated at different stages of ontogeny. *Cell Tissue Res*. 1985, 242(2):433-6.

Zilles K, **Wree A**. Cortex: areal and laminar structure. In: G. Paxinos (Ed) *The rat nervous system*, Vol 1, Academic Press, Sydney, 1985, pp 375-416.

Wree A, Zilles K, Schleicher A, Schwientek P. Quantitative cytoarchitectonics of the cerebral cortex in rodents. In: Duncker HR, Fleischer G (Eds) *Functional morphology in vertebrates (Fortschritte Zool. 1985, vol 30)*, Fischer, Stuttgart, 1985, pp 549-551.

1984

Zilles K, **Wree A**, Schleicher A, Divac I. The monocular and binocular subfields of the rat's primary visual cortex: a quantitative morphological approach. *J Comp Neurol*. 1984, 226(3):391-402.

1983

Wree A, Zilles K. Ipsilateral projections to the terminal nuclei of the accessory optic system in the albino rat. *Neurosci Lett*. 1983, 43(1):19-24.

Wree A. [Compression of the radial nerve by a coracobrachial muscle. An anatomical study]. *Anat Anz*. 1983, 153(5):459-64. German.

Wree A, Zilles K, Schleicher A. A quantitative approach to cytoarchitectonics. VIII. The areal pattern of the cortex of the albino mouse. *Anat Embryol (Berl)*. 1983, 166(3):333-53.

1982

Wree A, Zilles K, Schleicher A. Estimation of volume fractions in nervous tissue with an image analyzer. *J Neurosci Methods*. 1982, 6(1-2):29-43

1981

Wree A, Zilles K, Schleicher A. A quantitative approach to cytoarchitectonics. VII. The areal pattern of the cortex of the Guinea pig. *Anat Embryol (Berl)*. 1981, 162(1):81-103.

Wree A, Zilles K, Schleicher A. Growth of fresh volumes and spontaneous cell death in the nuclei habenulae of albino rats during ontogenesis. *Anat Embryol (Berl)*. 1981, 161(4):419-31.

1980

Wree A, Braak H, Schleicher A, Zilles K. Biomathematical analysis of the neuronal loss in the aging human brain of both sexes, demonstrated in pigment preparations of the pars cerebellaris loci coerulei. *Anat Embryol (Berl)*. 1980, 160(1):105-19.

1978

Wree A. Über die Pars cerebellaris nuclei coerulei des Menschen. Ein Modell für den Nachweis einer altersabhängigen Neuronenreduktion. Promotionsschrift, Medizinische Fakultät der Universität zu Kiel, 1978